

# Redefine


600x  
1200mm

~

*glossy* Finish

Endless serise

S P A C E S





# INSPI- RATION

## INSPIRATION: TRACING BACK TO ROMAN HISTORY

The intensity and warmth of a simple, yet artistically rich, material is captured to perfect effect in these new floor and wall solutions for high-impact, all-encompassing designs.





**WE HOPE TO PROVIDE YOUR SPACE**

And you a sense of empowerment and strength through our designs.

Through the sheer transparency of design is what we've worked on for several years.



*we*  
**THINK  
WITHOUT LIMITS**



*journey*  
of a thousand miles begins  
with a small step.

**ELEGANTLY STYLISH AND  
MODERN DESIGNS**

Elegantly stylish and modern designs. Over the years, the modern art of urban lifestyle has been everybody's go to choice for their space.

We've always ensured that our designs are a benchmark of perfection and that our customers never have to worry about quality.







**EL\_ADORE GREY**



**600X  
1200MM**

GLOSSY SURFACE  
RANDOM-01











**EL\_ANGLE WHITE**



**600X  
1200MM**

GLOSSY SURFACE  
RANDOM-04











**EL\_AOTEN SATUTARIO**



**600X  
1200MM**  
GLOSSY SURFACE  
RANDOM-04











**EL\_ARCTIC\_WHITE**



**600X  
1200MM**

GLOSSY SURFACE  
RANDOM-04











**EL\_ARTICO BEIGE**



**600X  
1200MM**

GLOSSY SURFACE  
RANDOM-03











**EL\_ASTRAO LUNA**



**600X  
1200MM**  
GLOSSY SURFACE  
RANDOM-04







**EL ATLANTIC TUSK**



**600X  
1200MM**  
GLOSSY SURFACE  
RANDOM-04











**EL\_BAHAMAS GREY**



**600X  
1200MM**

GLOSSY SURFACE  
RANDOM-04











**EL\_BAHAMAS SILVER**



**600X  
1200MM**

GLOSSY SURFACE  
RANDOM-04







**EL\_BEETEL BEIGE**



**600X  
1200MM**

GLOSSY SURFACE  
RANDOM-04







**EL\_BEETEL GREY**

**600X  
1200MM**

GLOSSY SURFACE  
RANDOM-04







**EL\_BRECCIA NOVANO SILVER**

**600X  
1200MM**

GLOSSY SURFACE  
RANDOM-04











**EL\_BRECCIA NOVANO**



**600X  
1200MM**

GLOSSY SURFACE  
RANDOM-04











## EL\_BULLBERRY MULTY

**600X  
1200MM**

GLOSSY SURFACE  
RANDOM-04











**EL\_CALACUTTA**



**600X  
1200MM**

GLOSSY SURFACE  
RANDOM-04











**EL\_CEBEAN**



**600X  
1200MM**

GLOSSY SURFACE  
RANDOM-04







**EL\_CEPPO DE GREY**



**600X  
1200MM**

GLOSSY SURFACE  
RANDOM-04











**EL\_CEPPO DE BIANCO**



**600X  
1200MM**  
GLOSSY SURFACE  
RANDOM-04







**EL\_CEPPO DE CAMEL**



**600X  
1200MM**

GLOSSY SURFACE  
RANDOM-04











**EL\_CEPPO DE CREMA**



**600X  
1200MM**

GLOSSY SURFACE  
RANDOM-04







**EL\_CHIFFON BIANCO**



**600X  
1200MM**

GLOSSY SURFACE  
RANDOM-04







**EL\_CHIFFON GREY**



**600X  
1200MM**

GLOSSY SURFACE  
RANDOM-04







**EL\_CLASSIC TRAVERTINO GOLD**

**600X  
1200MM**

GLOSSY SURFACE  
RANDOM-04











**EL\_CLASSIC TRAVERTINO STEEL**



**600X  
1200MM**

GLOSSY SURFACE  
RANDOM-04











**EL\_DEBONA CAFE**

**600X  
1200MM**

GLOSSY SURFACE  
RANDOM-04











**EL\_DEBONA DELUX**



**600X  
1200MM**  
GLOSSY SURFACE  
RANDOM-04







**EL\_DELICE GREY**



**600X  
1200MM**

GLOSSY SURFACE  
RANDOM-03











**EL\_DELICE IVORY**



**600X  
1200MM**


GLOSSY SURFACE  
RANDOM-03











**EL\_DOTANO BEIGE**



**600X  
1200MM**

GLOSSY SURFACE  
RANDOM-03











**EL\_DOVE BEIGE**



**600X  
1200MM**  
GLOSSY SURFACE  
RANDOM-04











**EL\_DYNA WAVE**



**600X  
1200MM**

GLOSSY SURFACE  
RANDOM-04











**EL\_EFFIEL IVORY**



**600X  
1200MM**

GLOSSY SURFACE  
RANDOM-04







**EL\_EFFIEL BROWN**



**600X  
1200MM**  
GLOSSY SURFACE  
RANDOM-04







**EL\_EFFIEL GREY**



**600X  
1200MM**

GLOSSY SURFACE  
RANDOM-04











**EL\_EFFIEL NERO**




**600X  
1200MM**

GLOSSY SURFACE  
RANDOM-04







**EL\_ELSON**



**600X  
1200MM**

GLOSSY SURFACE  
RANDOM-04















**EL\_ESPEDA BROWN**



**600X  
1200MM**

GLOSSY SURFACE  
RANDOM-04







**EL\_ESPEDA CHOCCO**



**600X  
1200MM**

GLOSSY SURFACE  
RANDOM-04







## EL\_ESTILO ICE



**600X  
1200MM**

GLOSSY SURFACE  
RANDOM-04











**EL\_EUREKA SILVER**



**600X  
1200MM**

GLOSSY SURFACE  
RANDOM-04











## EL\_ EVEREST TREND

**600X  
1200MM**

GLOSSY SURFACE  
RANDOM-04











**EL\_FISTO IVORY**



**600X  
1200MM**

GLOSSY SURFACE  
RANDOM-04







NEW YORK



LONDON



SYDNEY







**EL\_FISTO BROWN**



**600X  
1200MM**

GLOSSY SURFACE  
RANDOM-04







**EL\_FISTO GREY**



**600X  
1200MM**

GLOSSY SURFACE  
RANDOM-04





*ZECORAA*







**EL\_FISTO SILVER**




**600X  
1200MM**

GLOSSY SURFACE  
RANDOM-04







## EL\_FLORIANA

**600X  
1200MM**

GLOSSY SURFACE  
RANDOM-04











**EL\_FOG DYNA**



**600X  
1200MM**

GLOSSY SURFACE  
RANDOM-04











## EL\_FRANCIA GREY



**600X  
1200MM**

GLOSSY SURFACE  
RANDOM-04











**EL\_GERMAN NEXONA**



**600X  
1200MM**

GLOSSY SURFACE  
RANDOM-04









# TECHNICAL SPECIFICATIONS

CHARACTERISTICS	STANDARD AS PER ISO-13006/EN 14411 GROUP BIA	MEAN VALUE OF POLISHED GVT	MEAN VALUE OF RUSTIC GVT	TEST METHOD	
<b>REGULATORY PROPERTIES</b>					
Deviation in length & width	± 0.5%	± 0.1%	± 0.1%	ISO-10545-2	
Deviation in thickness	± 5.0%	± 4.0%	± 4.0%	ISO-10545-2	
Straightness of sides	± 0.5%	± 0.1%	± 0.1%	ISO-10545-2	
Rectangularity	± 0.5%	± 0.1%	± 0.1%	ISO-10545-2	
Surface flatness	± 0.5%	± 0.2%	± 0.2%	ISO-10545-2	
Colour difference	Unaltered	No Change	No Change	ISO-10545-16	
Glossiness	As per mfg.	Min. 90%	Min. 4%	GLOSSOMETER	
<b>STRUCTURAL MECHANICAL PROPERTIES</b>					
Water Absorption	< 0.50%	< 0.05 %	< 0.05 %	ISO-10545-3	
Apparent density	> 2.0 g/cc	> 2.10 g/cc	> 2.10 g/cc	DIN 51082	
<b>MASSIVE MECHANICAL PROPERTIES</b>					
Modulus rupture	Min 35 N/mm <sup>2</sup>	Min 40 N/mm <sup>2</sup>	Min 40 N/mm <sup>2</sup>	ISO-10545-3	
Breaking Strenght	Min.1300 N	min.2000 N	Min.2000 N	ISO-10545-4	
Impact resistance	As per mfg.	Min. 0.55	Min. 0.55	ISO-10545-5	
<b>SURFACE MECHANICAL PROPERTIES</b>					
Surface abrasion resistance	As per mfg.	Min Class 3	Min Class 4	ISO-10545-7	
MOH's hardness	As per mfg.	Min 4	Min 5	EN 101	
<b>THERMOHYDROMETRIC PROPERTIES</b>					
Frost resistance	No Damage	No Damage	No Damage	ISO-10545-12	
Thermal shock resistance	No Damage	No Damage	No Damage	ISO-10545-9	
Moisture expansion	Nil	Nil	Nil	ISO-10545-10	
Thermal expansion (CEO)	Max.9.0x10 <sup>-6</sup>	Max.6.5x10 <sup>-6</sup>	Max.6.5x10 <sup>-6</sup>	ISO-10545-8	
Crazing resistance	As per mfg.	Min 10 Cycle	Min 10 Cycle	ISO-10545-11	
<b>CHEMICAL PROPERTIES</b>					
Chemical resistance	No Damage	No Damage	No Damage	ISO-10545-13	
Satin resistance	Resistance	Resistance	Resistance	ISO-10545-14	
<b>SAFETY PROPERTIES</b>					
Slip resistance	As per mfg.	> 0.40	> 0.40	ISO-10545-17	
Fire resistance	As per mfg.	Fire Proof	Fire Proof	N.A.	
Lead & Cadmium given off by glazed tiles	As per mfg.	Doesn't yield PB & CD	Doesn't yield PB & CD	ISO-10545-15	
<b>PACKING DETAILS</b>					
SR. NO.	PRODUCT	NOMINAL SIZE	THICNESS	TILES PER BOX	COVERAGE AREA
1	Vitrified Tiles	600X1200mm	8.2 mm - 8.5 mm	2	1.44 Sq. Mtr.



— Thank You —