

# Redefine


600x  
1200mm

~

*glossy* Finish

Endless serise

S P A C E S





# INSPI- RATION

## INSPIRATION: TRACING BACK TO ROMAN HISTORY

The intensity and warmth of a simple, yet artistically rich, material is captured to perfect effect in these new floor and wall solutions for high-impact, all-encompassing designs.





**WE HOPE TO PROVIDE YOUR SPACE**

And you a sense of empowerment and strength through our designs.

Through the sheer transparency of design is what we've worked on for several years.



*we*  
**THINK  
WITHOUT LIMITS**





*Journey*  
of a thousand miles begins  
with a small step.

**ELEGANTLY STYLISH AND  
MODERN DESIGNS**

Elegantly stylish and modern designs. Over the years, the modern art of urban lifestyle has been everybody's go to choice for their space.

We've always ensured that our designs are a benchmark of perfection and that our customers never have to worry about quality.







**EL\_HELENCE BIGE**



**600X  
1200MM**

GLOSSY SURFACE  
RANDOM-04











**EL\_HELENCE MID**



**600X  
1200MM**

GLOSSY SURFACE  
RANDOM-04











**EL\_IBERICO BROWN**



**600X  
1200MM**

GLOSSY SURFACE  
RANDOM-04











**EL\_INDUS SATUTARIO**



**600X  
1200MM**  
GLOSSY SURFACE  
RANDOM-03











## EL\_LAVA\_NATURAL



**600X  
1200MM**

GLOSSY SURFACE  
RANDOM-04











**EL\_LOVIN**



**600X  
1200MM**

GLOSSY SURFACE  
RANDOM-03











**EL\_MAGNIFICENT SILVER**




**600X  
1200MM**

GLOSSY SURFACE  
RANDOM-04











**EL\_MAGNIFICENT**



**600X  
1200MM**

GLOSSY SURFACE  
RANDOM-04











## EL\_MAJESTIC



**600X  
1200MM**


GLOSSY SURFACE  
RANDOM-04











**EL\_MARLIN GRIS**



**600X  
1200MM**

GLOSSY SURFACE  
RANDOM-04





MARARI







**EL\_MARLIN VERDE**



**600X  
1200MM**

GLOSSY SURFACE  
RANDOM-04







**EL\_MARMERISE GOLD**



**600X  
1200MM**

GLOSSY SURFACE  
RANDOM-03











**EL\_MARMERISE SILVER**



**600X  
1200MM**

GLOSSY SURFACE  
RANDOM-03












## EL\_MEZZA GRISS



**600X  
1200MM**

GLOSSY SURFACE  
RANDOM-04











**EL\_MEZZA WHITE**



**600X  
1200MM**

GLOSSY SURFACE  
RANDOM-04







## EL\_MINORCA MULTY

**600X  
1200MM**

GLOSSY SURFACE  
RANDOM-04











## EL\_MONSTONE



**600X  
1200MM**

GLOSSY SURFACE  
RANDOM-03











**EL\_MONT ANGELO**



**600X  
1200MM**  
GLOSSY SURFACE  
RANDOM-04







**EL\_NATURAL DAYNA ASH**

**600X  
1200MM**

GLOSSY SURFACE  
RANDOM-04







**EL\_NATURAL DAYNA COPPER**



**600X  
1200MM**

GLOSSY SURFACE  
RANDOM-04







**EL\_NICOL NATURAL**



**600X  
1200MM**

GLOSSY SURFACE  
RANDOM-04











**EL\_NICOL TUSK**



**600X  
1200MM**

GLOSSY SURFACE  
RANDOM-04







## EL\_OLBIAN

**600X  
1200MM**

GLOSSY SURFACE  
RANDOM-04







**EL\_OLIVIA BIGE**



**600X  
1200MM**

GLOSSY SURFACE  
RANDOM-03











**EL\_OLIVIA TUSK**



**600X  
1200MM**

GLOSSY SURFACE  
RANDOM-03











**EL\_ONICIATA BEIGE**



**600X  
1200MM**  
GLOSSY SURFACE  
RANDOM-04







**EL\_OPAL**



**600X  
1200MM**

GLOSSY SURFACE  
RANDOM-04











**EL\_OROBICO BEIGE**



**600X  
1200MM**

GLOSSY SURFACE  
RANDOM-04











**EL\_PANDA GREY**



**600X  
1200MM**

GLOSSY SURFACE  
RANDOM-04











**EL\_PERLANITO BEIGE**



**600X  
1200MM**

GLOSSY SURFACE  
RANDOM-03











**EL\_RAX BURLY**



**600X  
1200MM**

GLOSSY SURFACE  
RANDOM-04











**EL\_RAX DELUX**



**600X  
1200MM**

GLOSSY SURFACE  
RANDOM-04





**EL\_REVER STATUARIO**

**600X  
1200MM**

GLOSSY SURFACE  
RANDOM-04











**EL\_REX TRAVERTINO CREMA**



**600X  
1200MM**

GLOSSY SURFACE  
RANDOM-03











**EL\_REX TRAVERTINO GREY**



**600X  
1200MM**

GLOSSY SURFACE  
RANDOM-03











**EL\_RIO NATURAL**



**600X  
1200MM**

GLOSSY SURFACE  
RANDOM-04







**EL\_RITZY NATURAL**



**600X  
1200MM**

GLOSSY SURFACE  
RANDOM-04











## EL\_ROSA AURORA GRISS



**600X  
1200MM**

GLOSSY SURFACE  
RANDOM-04







**EL\_SERENIA**



**600X  
1200MM**

GLOSSY SURFACE  
RANDOM-04











**EL\_SILVESTA DUST**



**600X  
1200MM**

GLOSSY SURFACE  
RANDOM-01











**EL\_SPENISH DYNA**



**600X  
1200MM**


GLOSSY SURFACE  
RANDOM-04











## EL\_SPRING VALLEY BLUE

**600X  
1200MM**

GLOSSY SURFACE  
RANDOM-04











**EL\_SPRINKLE WHITE**



**600X  
1200MM**


GLOSSY SURFACE  
RANDOM-04











## EL\_STATUARIO AMAZE GREY



**600X  
1200MM**

GLOSSY SURFACE  
RANDOM-04











**EL\_STATUARIO AMAZE SEPIA**



**600X  
1200MM**

GLOSSY SURFACE  
RANDOM-04









**EL\_STATUARIO SUPER**

**600X  
1200MM**

GLOSSY SURFACE  
RANDOM-03











## EL\_TRAVERTINO NATURAL

**600X  
1200MM**


GLOSSY SURFACE  
RANDOM-04











**EL\_TROPICAL BROWN**



**600X  
1200MM**

GLOSSY SURFACE  
RANDOM-03











**EL\_VINTAG DYNA**



**600X  
1200MM**

GLOSSY SURFACE  
RANDOM-04









# TECHNICAL SPECIFICATIONS

CHARACTERISTICS	STANDARD AS PER ISO-13006/EN 14411 GROUP BIA	MEAN VALUE OF POLISHED GVT	MEAN VALUE OF RUSTIC GVT	TEST METHOD	
<b>REGULATORY PROPERTIES</b>					
Deviation in length & width	± 0.5%	± 0.1%	± 0.1%	ISO-10545-2	
Deviation in thickness	± 5.0%	± 4.0%	± 4.0%	ISO-10545-2	
Straightness of sides	± 0.5%	± 0.1%	± 0.1%	ISO-10545-2	
Rectangularity	± 0.5%	± 0.1%	± 0.1%	ISO-10545-2	
Surface flatness	± 0.5%	± 0.2%	± 0.2%	ISO-10545-2	
Colour difference	Unaltered	No Change	No Change	ISO-10545-16	
Glossiness	As per mfg.	Min. 90%	Min. 4%	GLOSSOMETER	
<b>STRUCTURAL MECHANICAL PROPERTIES</b>					
Water Absorption	< 0.50%	< 0.05 %	< 0.05 %	ISO-10545-3	
Apparent density	> 2.0 g/cc	> 2.10 g/cc	> 2.10 g/cc	DIN 51082	
<b>MASSIVE MECHANICAL PROPERTIES</b>					
Modulus rupture	Min 35 N/mm <sup>2</sup>	Min 40 N/mm <sup>2</sup>	Min 40 N/mm <sup>2</sup>	ISO-10545-3	
Breaking Strenght	Min.1300 N	min.2000 N	Min.2000 N	ISO-10545-4	
Impact resistance	As per mfg.	Min. 0.55	Min. 0.55	ISO-10545-5	
<b>SURFACE MECHANICAL PROPERTIES</b>					
Surface abrasion resistance	As per mfg.	Min Class 3	Min Class 4	ISO-10545-7	
MOH's hardness	As per mfg.	Min 4	Min 5	EN 101	
<b>THERMOHYDROMETRIC PROPERTIES</b>					
Frost resistance	No Damage	No Damage	No Damage	ISO-10545-12	
Thermal shock resistance	No Damage	No Damage	No Damage	ISO-10545-9	
Moisture expansion	Nil	Nil	Nil	ISO-10545-10	
Thermal expansion (CEO)	Max.9.0x10 <sup>-6</sup>	Max.6.5x10 <sup>-6</sup>	Max.6.5x10 <sup>-6</sup>	ISO-10545-8	
Crazing resistance	As per mfg.	Min 10 Cycle	Min 10 Cycle	ISO-10545-11	
<b>CHEMICAL PROPERTIES</b>					
Chemical resistance	No Damage	No Damage	No Damage	ISO-10545-13	
Satin resistance	Resistance	Resistance	Resistance	ISO-10545-14	
<b>SAFETY PROPERTIES</b>					
Slip resistance	As per mfg.	> 0.40	> 0.40	ISO-10545-17	
Fire resistance	As per mfg.	Fire Proof	Fire Proof	N.A.	
Lead & Cadmium given off by glazed tiles	As per mfg.	Doesn't yield PB & CD	Doesn't yield PB & CD	ISO-10545-15	
<b>PACKING DETAILS</b>					
SR. NO.	PRODUCT	NOMINAL SIZE	THICNESS	TILES PER BOX	COVERAGE AREA
1	Vitrified Tiles	600X1200mm	8.2 mm - 8.5 mm	2	1.44 Sq. Mtr.



— Thank You —