


Redefine

S P A C E S

600x
1200mm

~


glossy Finish




About Us


Lorem Ipsum is simply dummy text of the printing and typesetting industry. Lorem Ipsum has been the industry's standard dummy text ever since the 1500s, when an unknown printer took a galley of type and scrambled it to make a type specimen book. It has survived not only five centuries, but also the leap into electronic typesetting, remaining essentially unchanged. It was popularised in the 1960s with the release of Letraset sheets containing Lorem Ipsum passages, and more recently with desktop publishing software like Aldus PageMaker including versions of Lorem Ipsum.

Lorem Ipsum is simply dummy text of the printing and typesetting industry. Lorem Ipsum has been the industry's standard dummy text ever since the 1500s, when an unknown printer took a galley of type and scrambled it to make a type specimen book. It has survived not only five centuries, but also the leap into electronic typesetting, remaining essentially unchanged..





impressions
that holds
the age-old
stories.



600 X 1200 MM




glossy Finish


Experience the remarkable beauty of nature through the ethereal design of tiles from the Rare collection. Feel the essence of art in every touch with the exceptional glossy tiles

600x
1200mm





ELITE WHITE




**600X
1200MM**

GLOSSY SURFACE
RANDOM-01







ELIZA BIANCO



**600X
1200MM**

GLOSSY SURFACE
RANDOM-04







ELIZA GREY



**600X
1200MM**
GLOSSY SURFACE
RANDOM-04





EMERALD CREAMA



**600X
1200MM**

GLOSSY SURFACE
RANDOM-04







EMIL NATURAL

**600X
1200MM**

GLOSSY SURFACE
RANDOM-04







EMPRADOR BIANCO



**600X
1200MM**
GLOSSY SURFACE
RANDOM-04







EMPRADOR GREY



**600X
1200MM**

GLOSSY SURFACE
RANDOM-04





EMPRADOR BEIGE



**600X
1200MM**
GLOSSY SURFACE
RANDOM-04







EMPRADOR BROWN



**600X
1200MM**
GLOSSY SURFACE
RANDOM-04





ENIVEA BIANCO




**600X
1200MM**

GLOSSY SURFACE
RANDOM-04







ENIVEA NATURAL



**600X
1200MM**

GLOSSY SURFACE
RANDOM-04





FANSTA ONYX BEIGE



**600X
1200MM**

GLOSSY SURFACE
RANDOM-04







FANSTA ONYX



**600X
1200MM**

GLOSSY SURFACE
RANDOM-05







FANTASTIC ONYX OLIVE

**600X
1200MM**

GLOSSY SURFACE
RANDOM-06







FANTASTIC ONYX SKY

**600X
1200MM**

GLOSSY SURFACE
RANDOM-06







FINO BIANCO




**600X
1200MM**

GLOSSY SURFACE
RANDOM-03







FINO NATURAL



**600X
1200MM**

GLOSSY SURFACE
RANDOM-03





FOREST GREEN



**600X
1200MM**

GLOSSY SURFACE
RANDOM-03





FORESTA ALMOND



**600X
1200MM**

GLOSSY SURFACE
RANDOM-05







FORESTA BROWN



**600X
1200MM**
GLOSSY SURFACE
RANDOM-05





FORESTA BIANCO



**600X
1200MM**

GLOSSY SURFACE
RANDOM-05







FORESTA GREY

**600X
1200MM**

GLOSSY SURFACE
RANDOM-05





FOSSIL GRAY




**600X
1200MM**

GLOSSY SURFACE
RANDOM-04








GLOSTER BEIGE



**600X
1200MM**
GLOSSY SURFACE
RANDOM-05







GLOSTER BROWN



**600X
1200MM**

GLOSSY SURFACE
RANDOM-05





ICE BERG BLUE

**600X
1200MM**

GLOSSY SURFACE
RANDOM-04







IMPERIAL ARMANI PEARL



**600X
1200MM**

GLOSSY SURFACE
RANDOM-04







IMPERIAL ARMANI ALMOND

**600X
1200MM**

GLOSSY SURFACE
RANDOM-04





IMPERIAL ARMANI BEIGE

**600X
1200MM**

GLOSSY SURFACE
RANDOM-04







IMPERIAL ARMANI BROWN



**600X
1200MM**

GLOSSY SURFACE
RANDOM-04





IMPERIAL ARMANI BIANCO



**600X
1200MM**

GLOSSY SURFACE
RANDOM-04







IMPERIAL ARMANI GREY



**600X
1200MM**

GLOSSY SURFACE
RANDOM-04





JASTO NATURAL

**600X
1200MM**

GLOSSY SURFACE
RANDOM-04







JASTO SILVER

**600X
1200MM**

GLOSSY SURFACE
RANDOM-04







JORD IVORY

**600X
1200MM**

GLOSSY SURFACE
RANDOM-03







JORD BEIGE

600X
1200MM

GLOSSY SURFACE
RANDOM-03





LUMINA ONYX



**600X
1200MM**

GLOSSY SURFACE
RANDOM-05







LUX ONYX

**600X
1200MM**

GLOSSY SURFACE
RANDOM-03







LYCOS IVORY



**600X
1200MM**
GLOSSY SURFACE
RANDOM-05







LYCOS BEIGE



**600X
1200MM**

GLOSSY SURFACE
RANDOM-05





LYCOS SMOKE




**600X
1200MM**

GLOSSY SURFACE
RANDOM-05







LYCOS GREY



**600X
1200MM**
GLOSSY SURFACE
RANDOM-05





MOCCA ONYX WHITE



**600X
1200MM**

GLOSSY SURFACE
RANDOM-05







MURATO GREY



**600X
1200MM**

GLOSSY SURFACE
RANDOM-04







MYSTIC TRAVENTINE




**600X
1200MM**

GLOSSY SURFACE
RANDOM-03







NEXA BIANCO



**600X
1200MM**

GLOSSY SURFACE
RANDOM-04







NEXA GRAY



**600X
1200MM**

GLOSSY SURFACE
RANDOM-04





NOBU NATURAL



**600X
1200MM**

GLOSSY SURFACE
RANDOM-03








NOBU PRESTIGE




**600X
1200MM**

GLOSSY SURFACE
RANDOM-03








NORDIC PEARL



**600X
1200MM**
GLOSSY SURFACE
RANDOM-05





CISCILIA



NORDIC BROWN



**600X
1200MM**

GLOSSY SURFACE
RANDOM-05





NORY IVORY




**600X
1200MM**

GLOSSY SURFACE
RANDOM-05







OLBIA NATURAL

**600X
1200MM**

GLOSSY SURFACE
RANDOM-04







OMANI BIANCO



**600X
1200MM**
GLOSSY SURFACE
RANDOM-04







OMANI GREY

**600X
1200MM**

GLOSSY SURFACE
RANDOM-04





OMANI CREMA



**600X
1200MM**

GLOSSY SURFACE
RANDOM-04







OMANI BROWN



**600X
1200MM**

GLOSSY SURFACE
RANDOM-04






OMANO ONYX



**600X
1200MM**
GLOSSY SURFACE
RANDOM-03







ORACLE ONYX



**600X
1200MM**

GLOSSY SURFACE
RANDOM-04







OSLO BEIGE



**600X
1200MM**
GLOSSY SURFACE
RANDOM-04



CISCILIA



TECHNICAL SPECIFICATIONS

CHARACTERISTICS	STANDARD AS PER ISO-13006/EN 14411 GROUP BIA	MEAN VALUE OF POLISHED GVT	MEAN VALUE OF RUSTIC GVT	TEST METHOD	
REGULATORY PROPERTIES					
Deviation in length & width	± 0.5%	± 0.1%	± 0.1%	ISO-10545-2	
Deviation in thickness	± 5.0%	± 4.0%	± 4.0%	ISO-10545-2	
Straightness of sides	± 0.5%	± 0.1%	± 0.1%	ISO-10545-2	
Rectangularity	± 0.5%	± 0.1%	± 0.1%	ISO-10545-2	
Surface flatness	± 0.5%	± 0.2%	± 0.2%	ISO-10545-2	
Colour difference	Unaltered	No Change	No Change	ISO-10545-16	
Glossiness	As per mfg.	Min. 90%	Min. 4%	GLOSSOMETER	
STRUCTURAL MECHANICAL PROPERTIES					
Water Absorption	< 0.50%	< 0.05 %	< 0.05 %	ISO-10545-3	
Apparent density	> 2.0 g/cc	> 2.10 g/cc	> 2.10 g/cc	DIN 51082	
MASSIVE MECHANICAL PROPERTIES					
Modulus rupture	Min 35 N/mm ²	Min 40 N/mm ²	Min 40 N/mm ²	ISO-10545-3	
Breaking Strenght	Min.1300 N	min.2000 N	Min.2000 N	ISO-10545-4	
Impact resistance	As per mfg.	Min. 0.55	Min. 0.55	ISO-10545-5	
SURFACE MECHANICAL PROPERTIES					
Surface abrasion resistance	As per mfg.	Min Class 3	Min Class 4	ISO-10545-7	
MOH's hardness	As per mfg.	Min 4	Min 5	EN 101	
THERMOHYDROMETRIC PROPERTIES					
Frost resistance	No Damage	No Damage	No Damage	ISO-10545-12	
Thermal shock resistance	No Damage	No Damage	No Damage	ISO-10545-9	
Moisture expansion	Nil	Nil	Nil	ISO-10545-10	
Thermal expansion (CEO)	Max.9.0x10 ⁻⁶	Max.6.5x10 ⁻⁶	Max.6.5x10 ⁻⁶	ISO-10545-8	
Crazing resistance	As per mfg.	Min 10 Cycle	Min 10 Cycle	ISO-10545-11	
CHEMICAL PROPERTIES					
Chemical resistance	No Damage	No Damage	No Damage	ISO-10545-13	
Satin resistance	Resistance	Resistance	Resistance	ISO-10545-14	
SAFETY PROPERTIES					
Slip resistance	As per mfg.	> 0.40	> 0.40	ISO-10545-17	
Fire resistance	As per mfg.	Fire Proof	Fire Proof	N.A.	
Lead & Cadmium given off by glazed tiles	As per mfg.	Doesn't yield PB & CD	Doesn't yield PB & CD	ISO-10545-15	
PACKING DETAILS					
SR. NO.	PRODUCT	NOMINAL SIZE	THICNESS	TILES PER BOX	COVERAGE AREA
1	Vitrified Tiles	600X1200mm	8.2 mm - 8.5 mm	2	1.44 Sq. Mtr.

Thank You