


Redefine

S P A C E S

600x
1200mm

~


glossy Finish




About Us


Lorem Ipsum is simply dummy text of the printing and typesetting industry. Lorem Ipsum has been the industry's standard dummy text ever since the 1500s, when an unknown printer took a galley of type and scrambled it to make a type specimen book. It has survived not only five centuries, but also the leap into electronic typesetting, remaining essentially unchanged. It was popularised in the 1960s with the release of Letraset sheets containing Lorem Ipsum passages, and more recently with desktop publishing software like Aldus PageMaker including versions of Lorem Ipsum.

Lorem Ipsum is simply dummy text of the printing and typesetting industry. Lorem Ipsum has been the industry's standard dummy text ever since the 1500s, when an unknown printer took a galley of type and scrambled it to make a type specimen book. It has survived not only five centuries, but also the leap into electronic typesetting, remaining essentially unchanged..





impressions
that holds
the age-old
stories.



600 X 1200 MM



glossy Finish

Experience the remarkable beauty of nature through the ethereal design of tiles from the Rare collection. Feel the essence of art in every touch with the exceptional glossy tiles

600x
1200mm





PIETRA NOBEL BIANCO



**600X
1200MM**

GLOSSY SURFACE
RANDOM-04







PIETRA NOBEL WHITE



**600X
1200MM**

GLOSSY SURFACE
RANDOM-04





HOUSE FOR 15
WAR
Kingdom




PIETRA NOBEL NERO

**600X
1200MM**

GLOSSY SURFACE
RANDOM-04





RENO BEIGE



**600X
1200MM**

GLOSSY SURFACE
RANDOM-04







RENO BROWN



**600X
1200MM**

GLOSSY SURFACE
RANDOM-04







RIZA GREY

**600X
1200MM**

GLOSSY SURFACE
RANDOM-04







ROCK BRECCIA



**600X
1200MM**

GLOSSY SURFACE
RANDOM-04







ROLEX_DYNA GREY

**600X
1200MM**

GLOSSY SURFACE
RANDOM-04







ROLEX_DYNA_BROWN



**600X
1200MM**

GLOSSY SURFACE
RANDOM-04







ROYAL CREMA



**600X
1200MM**

GLOSSY SURFACE
RANDOM-04







SAHARA BEIGE



**600X
1200MM**
GLOSSY SURFACE
RANDOM-04








SARAN COLLINS CREMA

**600X
1200MM**

GLOSSY SURFACE
RANDOM-04







SILVER BIANCO




**600X
1200MM**

GLOSSY SURFACE
RANDOM-04







SMASH BEIGE



**600X
1200MM**



GLOSSY SURFACE
RANDOM-04







SMASH LIGHT



**600X
1200MM**
GLOSSY SURFACE
RANDOM-04



ZECORAA

ZECORAA



SMOKE ONYX GOLD



**600X
1200MM**
GLOSSY SURFACE
RANDOM-04



Hotel Restora

> Restaurant
& Caf





SMOKE ONYX GREY



**600X
1200MM**
GLOSSY SURFACE
RANDOM-04







SNEKO GREY



**600X
1200MM**
GLOSSY SURFACE
RANDOM-04







SNEKO NERO

**600X
1200MM**

GLOSSY SURFACE
RANDOM-04





SPARK GRIGIO



**600X
1200MM**

GLOSSY SURFACE
RANDOM-04







SPIDER BEIGE



**600X
1200MM**
GLOSSY SURFACE
RANDOM-04



MARQUIS





STELLAR BEIGE

**600X
1200MM**

GLOSSY SURFACE
RANDOM-04







STELLAR BIANCO



**600X
1200MM**

GLOSSY SURFACE
RANDOM-04







SUPERB ONYX



**600X
1200MM**


GLOSSY SURFACE
RANDOM-05







THUNDER BEIGE



**600X
1200MM**

GLOSSY SURFACE
RANDOM-04







THUNDER GREY



**600X
1200MM**

GLOSSY SURFACE
RANDOM-04







TORANO BEIGE



**600X
1200MM**

GLOSSY SURFACE
RANDOM-03







TRAVENTINO IVORY



**600X
1200MM**

GLOSSY SURFACE
RANDOM-04







TRAVENTINO SILVER



**600X
1200MM**

GLOSSY SURFACE
RANDOM-04





ENTRO CAFE




WAVES ONYX BEIGE



**600X
1200MM**
GLOSSY SURFACE
RANDOM-04







WAVES ONYX




**600X
1200MM**

GLOSSY SURFACE
RANDOM-04







WEB IVORY



**600X
1200MM**

GLOSSY SURFACE
RANDOM-04







WEB NATURAL



**600X
1200MM**

GLOSSY SURFACE
RANDOM-04





WIHAN WHITE



**600X
1200MM**

GLOSSY SURFACE
RANDOM-04







WILLIAM NATURAL



**600X
1200MM**


GLOSSY SURFACE
RANDOM-04







WILLIAM NERO



**600X
1200MM**

GLOSSY SURFACE
RANDOM-04



Hotel Restora

> Restaurant
& Caf






WINTEZ WHITE



**600X
1200MM**
GLOSSY SURFACE
RANDOM-04



ROCTON
HOTEL






WINTEZ GREY



**600X
1200MM**
GLOSSY SURFACE
RANDOM-04





YAZIL ROSSO

**600X
1200MM**

GLOSSY SURFACE
RANDOM-01








YAZIL WHITE

**600X
1200MM**

GLOSSY SURFACE
RANDOM-01







YUVAL BEIGE



**600X
1200MM**

GLOSSY SURFACE
RANDOM-03







ZANDER BEIGE



**600X
1200MM**

GLOSSY SURFACE
RANDOM-04







ZEELITE WHITE



**600X
1200MM**

GLOSSY SURFACE
RANDOM-06







ZOCATA BIANCO

**600X
1200MM**

GLOSSY SURFACE
RANDOM-04







ZOCATA IVORY

**600X
1200MM**

GLOSSY SURFACE
RANDOM-04





TECHNICAL SPECIFICATIONS

CHARACTERISTICS	STANDARD AS PER ISO-13006/EN 14411 GROUP BIA	MEAN VALUE OF POLISHED GVT	MEAN VALUE OF RUSTIC GVT	TEST METHOD
-----------------	--	----------------------------	--------------------------	-------------

REGULATORY PROPERTIES

Deviation in length & width	± 0.5%	± 0.1%	± 0.1%	ISO-10545-2
Deviation in thickness	± 5.0%	± 4.0%	± 4.0%	ISO-10545-2
Straightness of sides	± 0.5%	± 0.1%	± 0.1%	ISO-10545-2
Rectangularity	± 0.5%	± 0.1%	± 0.1%	ISO-10545-2
Surface flatness	± 0.5%	± 0.2%	± 0.2%	ISO-10545-2
Colour difference	Unaltered	No Change	No Change	ISO-10545-16
Glossiness	As per mfg.	Min. 90%	Min. 4%	GLOSSOMETER

STRUCTURAL MECHANICAL PROPERTIES

Water Absorption	< 0.50%	< 0.05 %	< 0.05 %	ISO-10545-3
Apparent density	> 2.0 g/cc	> 2.10 g/cc	> 2.10 g/cc	DIN 51082

MASSIVE MECHANICAL PROPERTIES

Modulus rupture	Min 35 N/mm ²	Min 40 N/mm ²	Min 40 N/mm ²	ISO-10545-3
Breaking Strength	Min.1300 N	min.2000 N	Min.2000 N	ISO-10545-4
Impact resistance	As per mfg.	Min. 0.55	Min. 0.55	ISO-10545-5

SURFACE MECHANICAL PROPERTIES

Surface abrasion resistance	As per mfg.	Min Class 3	Min Class 4	ISO-10545-7
MOH's hardness	As per mfg.	Min 4	Min 5	EN 101

THERMOHYDROMETRIC PROPERTIES

Frost resistance	No Damage	No Damage	No Damage	ISO-10545-12
Thermal shock resistance	No Damage	No Damage	No Damage	ISO-10545-9
Moisture expansion	Nil	Nil	Nil	ISO-10545-10
Thermal expansion (CEO)	Max.9.0x10 ⁻⁶	Max.6.5x10 ⁻⁶	Max.6.5x10 ⁻⁶	ISO-10545-8
Crazing resistance	As per mfg.	Min 10 Cycle	Min 10 Cycle	ISO-10545-11

CHEMICAL PROPERTIES

Chemical resistance	No Damage	No Damage	No Damage	ISO-10545-13
Satin resistance	Resistance	Resistance	Resistance	ISO-10545-14

SAFETY PROPERTIES

Slip resistance	As per mfg.	> 0.40	> 0.40	ISO-10545-17
Fire resistance	As per mfg.	Fire Proof	Fire Proof	N.A.
Lead & Cadmium given off by glazed tiles	As per mfg.	Doesn't yield PB & CD	Doesn't yield PB & CD	ISO-10545-15

PACKING DETAILS

SR. NO.	PRODUCT	NOMINAL SIZE	THICKNESS	TILES PER BOX	COVERAGE AREA
1	Vitrified Tiles	600X1200mm	8.2 mm - 8.5 mm	2	1.44 Sq. Mtr.

Thank You